

CHERRY AK-440 INDUSTRIAL KEYBOARD MINI TB

Mini Industrial Keyboard with integrated trackball



Models may vary from the image shown

The AK-440 industrial keyboard is designed with compactness and efficiency in mind, making it an ideal choice for industrial settings where space is at a premium. Its smaller footprint allows for easy integration into control panels and tight workspaces, enabling operators to maximize their workstation's functionality without sacrificing accessibility.

One of the standout features of the AK-440 is its integrated trackball, which provides precise cursor control without the need for a separate mouse. This is particularly beneficial in environments where desk space is limited or when working in confined areas, allowing operators to navigate interfaces smoothly and efficiently.

Additionally, the keyboard utilizes scissor key technology, offering a tactile and responsive typing experience. Overall, the AK-440 combines size, functionality, and advanced key technology to meet the demanding needs of modern industrial environments.

FUNCTION AND PERFORMANCE

- Compact Design ideal for tight workspaces
- Integrated Trackball provides precise cursor control
- Scissor Key Technology offers a tactile, responsive typing experience
- Robust construction to withstand the demands of industrial environments
- Easy Integration

- Flat, beveled keys facilitate cleaning and maintenance
- Sealed key printing ensures consistently high contrast of the key symbols
- Option: removable or fully sealed cover for extra dust and waterproofness

TECHNICAL DATA

Weight main product:	660 g
Weight of product without packaging:	660 g
Dimensions product without packaging:	293 mm x 168 mm x 30 mm
Weight of product incl. packaging:	800 g
Dimensions product incl. packaging:	320 mm x 220 mm x 40 mm
Content of master carton (pieces):	20
Weight of master carton incl. content:	17,000 g
Dimensions master carton:	420 mm x 330 mm x 470 mm
Cable length:	180 cm
Storage temperature:	-20 °C - 60 °C
Working temperature:	0 °C - 50 °C
Product approvals:	<ul style="list-style-type: none">• CE• FCC
Operating system:	All operating systems that support USB keyboard interface
Reliability:	MTBF 90: > 10 Mio.
Switching characteristics:	tactile
Max. current consumption (mA) of keyboard:	45 mA
Actuating force (cN):	60 cN
Total Key Travel:	3 mm
Key labeling:	Silk-screen
Number of keys:	83
Special key functions:	FN Key
Adjustable feet:	yes
Key technology:	Scissor

Keycap material: ABS
Protection class: Standard
Warranty: 2 years warranty

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

SKU / EAN / UPC	Protection class	Color	Layout
AK-440-TU-B/FR EAN 7061114245704 UPC	Standard	black	FR (France)
AK-440-TU-B/GE EAN 7061112090757 UPC	Standard	black	DE (Germany)
AK-440-TU-B/NOR EAN 7061113351437 UPC	Standard	black	PN (PanNordic)
AK-440-TU-B/UK EAN 7061116627904 UPC	Standard	black	GB (United Kingdom)
AK-440-TU-B/US EAN 7061113820346 UPC	Standard	black	US (USA)
AK-440-TU-W/GE EAN 7061113731833 UPC	Standard	white	DE (Germany)
AK-440-TU-W/US EAN 7061118278418 UPC	Standard	white	US (USA)

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.